

Anchoring solutions Construction Game modules Net course

Accessories













## Contents

Kujanak anchoring solutions

07 18

<u>19</u> <u>31</u>

Construction of your course

**Game** modules 32 122

123 132

Zip-line games

Complementary games

133 137

138 152

**Accessories** 

## Our know-how



In our workshop we provide you with our know-how, associated with great rigour, allowing us to master every stage of the manufacturing proces.







This year, we are proud to welcome Kujanak to the SPS Filets family!

#### Proud member of









## **Crimping workshop**







The crimping technology gives an unequalled finish and a better life-time.

It also offers high-end elements with more color choices within your aerial rope courses.

Please feel free to contact us!



## Customized net courses

Design, manufacture, and supply of fun and safe solutions tailored to each space. Our expertise guarantees unique, reliable, and turnkey projects.





Photo credits -Arboricorde.





## and adventure courses.

Customised nets for leisure facilities

SPS FILETS specialises in the manufacture of nets for safety



#### Design, manufacturing and complete supply

We can offer you a final design with nets, accessories and play modules to create a space that reflects your style.



#### Quality, safety and reliability

Since our inception, we have developed high-quality products and solutions tailored to the needs of each customer.



#### Professional and responsive support

We are committed to providing a professional and responsive service, ensuring the satisfaction of every project.

Photo credits - AccroCamp Caen



#### **POLYESTER NET**

High tenacity



Material: knotted Polyester.



50 mm square mesh, 4,5 mm diameter, Ø12 mm boltrope.




Breaking load of the mesh per sqm\* 300kg. \*theoretical

#### Area of use

Floor: gaming platforms, bounce areas.

**Wall:** climbing walls, partition walls.



#### **POLYAMIDE NET**

High tenacity



Material: knotted polyamide.



50 mm square mesh, 4,75 mm diameter, Ø12 mm boltrope.



Breaking load of the mesh per sqm\* 320kg. \*theoretical

#### Area of use

**Floor:** movement surfaces, jumping modules.

Wall: vertical walls, climbing elements.



#### **POLYPROPYLENE NET**

High tenacity



Material: knotless polypropylene.



45 mm square mesh, 5 mm diameter, Ø10 mm boltrope.



Breaking load of the mesh per sqm\* 200kg. \*theoretical

#### Area of use

**Floor:** vertical walls, climbing walls, suspended access.

Multicolor only for indoor use.

Make up your tailor-made obstacles easily

Thanks to our range of possibilities, bring some personality, colors and fun to your courses.

#### Wood engraving technic

on CTBX exterior plywood via digital control.





## **Digital print** on CTBX exterior plywood.







plywood on digital machine.

Wood painting.

**Wood cutting** 

Please feel free to contact us!



# The Kujanak anchoring

The concept of using bolts and anchors enables an installation at a safe distance from the trunk. Thanks to this **eco-friendly method** the tree can continue to grow freely.

A bulge appears around each insert and forms a scar. This contributes to seal the wound and reinforces the tight fit of the bolt.



Conventional fastening systems exert considerable pressure on the bark, resulting in the death of the tree's upper layers.

The consequences are disastrous: development of fungi, insects, bacteria...





Discover the interview with Alain Valette, forestry expert who shares his perspective on our Kujanak anchoring solutions.

# The Kujanak platform

The Kujanak platform is environmentally friendly and 100 % recyclable. Ready-to-assemble delivery.

#### **Douglas fir Structure**

Out of sapwood: section 60 x 220, pre-drilled for bolts.

#### Ref KPF-OCTO



Quick installation in four steps: assembly, positioning, drilling and assembly.








## 6 logs / rafters Platform

The eco-responsible anchoring system can also be installed on self-built rafter or log platforms. In this case, use 330/400 mm inserts and stud bolts.



330/400 mm inserts and studs kit adaptable to your platforms.



6 logs version



6 rafters version




## Zipline landing platform

The purpose of the zipline landing platform is to **make it easier**, **safer** and **more comfortable** for riders to land when arriving on the platform at the end of the zip line. Fits octagonal platforms.


Ref KRECEPTY





With an articulated joint to reduce strain on the platform and pressure on the trunk.


Hook
Ref KCRORTYR-16



## Platform prop

The purpose of the prop is to reinforce the platform. To improve its stability, in particular **for large platforms** or those that have to withstand unusual loads. **Ref KETAI-PF** 






# Kujanak anchoring ring

The Kujanak anchoring ring is designed to accommodate a multitude of equipment, such as **lifelines**, **obstacles** for treetop adventure parks, **nets**, **zip lines** and **footbridges**, providing a multi-purpose solution for your courses.



Simple anchoring ring
Ref KA



	Different sizes				
S	Ø 25 to 42 cm				
M	Ø 36 to 57 cm				
L	Ø 50 to 71 cm				
XL	Ø 63 to 89 cm				
XXL	Ø 98 to 145 cm				







Photo credits - Tepacap Le Mans.







Photo credits - Arbres et Aventures.

# Reinforced anchoring ring

The **reinforced anchorage ring** is designed for specific use in the event of **higher loads** than those normally encountered on a course **long zip lines** or **heavy footbridges** such as the **Canopy Tour**.

Ref KAD





١	Different sizes	
S	Ø 25 to 42 cm	
M	Ø 36 to 57 cm	
L	Ø 50 to 71 cm	
XL	Ø 63 to 89 cm	
XXL	Ø 98 to 145 cm	

## Jamb for anchoring ring

The anchor ring jamb (simple KA or reinforced KAD) is a device used to **transfer the vertical component of a force exerted** on a KA ring by a game or a guy rope. **Ref KJA** 













#### Inserts and bolts kit

Anchoring device designed to be used to suspend light loads such as loudspeakers, lighting, curtains or to hold equipment such as support cables for High rope course games, climbing nets...

Kit 1 insert and 1 stud bolt with 2 nuts. 2 washers and 1 beta pin.

Ref KIG SOLO





## Half-ring anchor

It is perfectly suited to the installation of your games and obstacles, sound carriers, lighting, net curtains, aviaries...

Ref KDA



Warning. This anchoring device is not suitable in the following cases:

- for efforts tending to extract it from the trunk.
- to attach individual or collective safety devices.



### Helicoid drill diameter 36 x 400

for installation rings and platforms.

Ref KMH36-450



sprayer + Crésyl.

Ref KPULV Ref KCRESYL





## Kujanak accessories

Discover Kujanak innovations that make construction and maintenance easier and faster. It means for your building crew shorter construction times. For your company: cost savings. For your customers: durable and intuitive high-performance equipment.





Accessory for fastening wood beams to suspension cables using a simple screw gun. For treetop adventure parks, via ferrata, aerial trails...

Ref KKB




Clampo
Accessory used for
fastening bridge
boards on cables.
For treetop adventure
parks, via ferrata,
aerial trails.

Ref KCLPO



#### Focus on assembly

Explanatory video on the benefits of Clampo in your assembly process.





Accessory for **attaching suspension ropes** (e.g. swings) or footbridges to cables. For treetop adventure parks, via ferrata, aerial trails... *Ref KCS* 





## Vertical access for platform

Galvanized steel cable  $\emptyset$  12 mm, 7 x 19. Custom-made. Thanks to its "cob" system, it allows to stop the user in case of fall before he touches the ground.S tandard NF CE 15567-1.

- Replaces a stop-fall.
- Doesn't require maintenance.
- Improves the fluidity at the start of the course.

Your choice

Complete manufacture of your vertical lifeline

Supply of parts, do-it-yourself

## Kratos shock absorber

35 x 220 mm To secure the vertical lifeline in the event of a fall. Allows to secure the access of your elevated platforms.



#### **Ardicône**

Designed to be positioned on the cable after crimping the barbs.

Ref KLVV

#### **Ardicône**

For vertical lifeline.

Ref KBAR



#### **Equidistance barb:**

children: 40 cm ■ adult: 50 cm.




#### Split Ardicône After crimping

the barbs.

Ref KBARF







## Wooden accessories



## Polypropylene wedges

Plastic wedges (recycled or not) are ideal for building your courses on metal structures. They are weather-resistant and 100% recyclable.




## **Sleeved sling**


Galvanized wire cable Ø 12 mm 7 x 19 mm equipped with 1 thimble and large opening at one end + plastic sheath at the other.



# Adjustable spacer bar







## Wire cables and hardware





Ø	Quality	Breaking strength	Construction
10	1960 N/mm2	7233 kg	7 x 19
12	1960 N/mm2	10400 kg	7 x 19



#### Non rotating steel cable (steel core)

Ø	Quality	Breaking strength	Construction
12	1960 N/mm2	9437 kg	19 x 7







High resistance shackle Ø 10 mm to 32 mm.



Straight shackle CE Ø 16 mm.





## We also supply



Wire rope tightening bolts Ø 12 mm.



Thimble Ø 10 to 20 mm.

Nylon cap nuts

 $\emptyset$  8 mm for wire rope tightener  $\emptyset$  10 mm.

Ø 10 mm for wire rope tightener Ø 12 mm.

Packaging: 100 or 1000 pieces.



Quick links

Simple to large opening Ø 8 to 14. CE



Steel sleeve

Ø 13 mm.



**DELTA link** Ø 8 to 14 mm. CE

Zinc cap nuts

M8 ■ M10 ■ M12.



The game modules are supplied with accessories and packed in small packets.



## Lifting and handling material

#### Pliable unwinder

Pliable unwinder for cable drum. 100 lm or 500 lm.

Doesn't take up a lot of space: pliable.

- Length: 530 mm.
- Width:561 mm.
- Weight: 12 kg.



#### **Tubular sling**

Length: 1 m 1,5 m - 2 m - 2,5 m. Resistance: 2 T. Possibility of colour brown and black on request.

#### **Block and tackle**

It has been designed for hoisting, traction and stowage works in any technical elds. 250 kg - 500 kg 1500 kg.



### Wire rope-gripper

Full wire rope-gripper with shackle. Capacity 380 kg for 7 to 15 mm cable or wire rope.



Wire rope gripper in conical shape Load: 2T from 10,50 mm to 14 mm cable.



Light, easy to handle and small size. Capacity 600 kg for 7 mm to 15 mm cable.



## Rope reel



#### The rope

In reels. Color: green, beige, havana, white, black.

#### **Electric iron hot cut**



## Heat-shrink end caps

Perfect to protect cable ends.



For cable Ø 5 to 12 mm.
Color black.
Length: 7 cm.
4,50 cm (bag of 100 pieces).



## Suspension ropes


We provide the suspension ropes your need to build your obstacles.

- Thimble eye and suspension ring at one end and hot-cutting at the other end.
- Thimble eye and suspension ring at each end.
- Thimble eye and suspension ring crimped on armed rope at one end and threaded rod with washer and nut at the other end.



# Moving and steady suspension ropes

Suspension rope made of elastic rope, in a tubular sling. Suspension rope made of polypropylene rope, in a tubular sling.



## Choice of suspension ropes allows you to get:

- A double steady suspension rope.
- A moving rope on left side and a steady rope on the right side and vice versa.

The climber will discover the fun at the very last moment!

#### **SOLD INDIVIDUALLY**

Remember to allow for 1 movable suspension and 1 fixed suspension for a complete module



## **Stairs**

#### Easy and quick assembly

Build your own stairs to get to the platforms. Treated timber class 4. Length 60 cm. Plank Thickness: 27 mm.









## Flying Net

Polypropylene knotted net with a ring on each corner.



**Dimensions** 3 m x 1 m

Colors



Material Polypropylene

> **Diameter** Ø 16 mm

Mesh Square, 250mm





### Climbing net knotted

Polypropylene knotted net with a ring on each corner.





#### **Dimensions**

2 x 2\* 2 x 3\* 2 x 5\* 3 x 3\* 6 x 3\* 4 x 4\*

5 x 5\*

\* net height

#### Colors



**Material** Polypropylene

> **Diameter** Ø 16 mm

#### Mesh

Square, 250mm

Difficulty





## Rope stirrup

Rope with loop and ring at the top. Rope loop with heat-shrinkable sheath for the foot at the bottom. Made with a knot halfway up for easy grip.

### The Moon

Three quarter tube to install vertically in staggered rows. Installed on 2 wire cables.



Length 2,50 m

Colors



**Rope** Polypropylene

Diameter Ø 20 mm



Difficulty





Cable spacing 80 cm

Colors



Material Steel

**Diameter** Ø 800 mm

Difficulty





## Finnish skittle

Log beveled at one end. Stenciled on the beveled part.



Delivered with accessories

Cable spacing 30 cm

Length 40 cm

**Material** Wood autoclave class 4

> **Diameter** Ø 10 cm

Pack 12 skittles












## Mikado

Wooden post, with blue and red paint on the ends, to be installed vertically as an obstacle on a footbridge.





Length 250 cm

Material Wood autoclave class 4

> **Diameter** Ø 70 cm















## Mini-foot

Foot-shaped plank, stained. To be installed on 2 parallel cables.









Cable spacing 13 cm

Material Non-slip CTBX exterior plywood

> **Thickness** 15 mm

> > Colors







## Tic Tac Toe

X or O, stained. To be installed on 2 parallel cables.







**Dimensions** See drawing

> Cable spacing 30 cm

Material Non-slip CTBX exterior plywood

> **Thickness** 15 mm

> > Colors











## Domino's footbridge

Planks in form of 6 Domino's, engraved and stained. To be installed on 2 parallel cables. Set of six dominos.







#### **Dimensions** 70 x 39 cm

Cable spacing 30 cm

# Material Non-slip CTBX exterior plywood

**Thickness** 15 mm

**Colors** 



Difficulty





## Wooden staircase

Plateforme composed of 2 logs and 3 graved planks.



**Dimensions** 50 x 70 cm

> Cable spacing 50 cm

**Material** Wood autoclave class 4

> Diameter Ø 100 mm







# Flying door

Made of wooden square rafter 90 x 90 mm.





# **Dimensions** 0,80 x 1,50 m

Material Wood autoclave class 4

**Rope** Polypropylene

#### Colors



Rope sold separately and to be mounted by yourself.

#### **Difficulty**



# Flying square

Made of wooden square rafter 90 x 90 mm. With quick link M6 Large Opening.





#### Dimensions 60 x 60 cm

Material Wood autoclave class 4

**Rope** Polypropylene

#### Colors



Rope sold separately and to be mounted by yourself.







# Threaded frame

Made of plank equipped with net.







# **Dimensions** 0,60 x 1,50 m

Cable spacing 50 cm

Material Wood autoclave class 4

> Mesh 50 mm, knotless

#### Colors





# Walking square

Made of 90 x 90 mm wooden square rafter. To be blocked with cable clamps (not supplied).



**Length** 60 cm

Cable spacing 50 cm














# Elastic plank

Made of grooved board.



Moving planks



Delivered with accessories

#### Dimensions 165 mm x 1 m

Cable spacing 50 cm

#### Material Wood autoclave class 4

Thickness 36 mm

With self-assembly accessories.

### Difficulty





# **Surf climbing**

Made of grooved board.



**Dimensions** 165 mm x 1,50 m

Cable spacing 50 cm

Material Wood autoclave class 4

> Thickness 36 mm












# Zigzag rope

Made of rope equipped with thimble eye and suspension ring at each end and locked with 3 knots with ring.



# **Crossing rope**

Made of rope equipped with thimble eye and suspension ring at each end, to be attached on a cable.





## **Crossing rope**

Made of rope equipped with thimble eye and suspension ring at each end, to be attached on a cable.





#### Length 1 m

Spacing 0,56 m

**Rope** Polypropylene

Diameter Ø 16 mm

Colors





# **Hand rope**

Made of rope fitted with thimble eye and suspension ring at the top, a knot and a heatshrinkable cap at the bottom.





**Spacing** 0,56 m

**Rope** Polypropylene

**Diameter** Ø 20 mm

Colors









### Hammer

Made of wooden square rafter 90 x 90 mm, to be installed on 2 wire cables. Equipped with a counterweight.



# Banana planks for bridge

Banana-shaped plank.





**Length** 500 mm

Thickness 15 mm

**Material** Non-slip CTBX exterior plywood











# Planks for bridge

Grooved wooden planks for bridge.







#### Length 500 mm

Width 145 mm

Thickness 27 mm

Spacing 400 mm


Material Wood autoclave class 4

# Difficulty



# Chinese planks for bridge

Grooved wooden planks for bridge to be installed on 3 cables.



# Option: 2 spacers of 1 m with 3 holes for the ends.





Length 400 mm

Width 145 mm

Thickness 27 mm

> Spacing 300 mm









## X to walk

Made of 2 planks, assembled together in a cross shape.



# Snake

Including 2 grooved planks, one measuring 1,145 m and the other measuring 2 m.



**Spacing** 60 cm

**Material** Wood autoclave class 4



**Spacing** 100 cm



















## **Dominoes**

Wood planks, assembled on bearing. Automatic motion



Length 1 m

> Width 9 cm

**Spacing** 25 cm

Material Wood autoclave class 4





## Stilt

Beech wood log principal equiped with small walking log Ø 35 mm made of beech wood.



Length 66 cm

**Diameter** Ø 100 mm













# **Dancing bridge**

Set of 3 posts 90 x 90 mm, held together by a  $\emptyset$  16 mm threaded rod covered by a black  $\emptyset$  28 mm aluminium tubing. Module is equipped at each end with 6 suspension ropes at each end.



**Dimensions** 70 x 8,5 x 8,5 cm

**Rope** Polypropylene

**Diameter** Ø 16 mm

Length 3 m

Colors








# **U-form rope**

Made of rope and equipped with thimble eye and suspension ring on each side of the end.



**Rope** Polypropylene

**Diameter** Ø 20 mm

**Length** 2 m and 4 m

Colors









# **Accordion log**

Log with 2 holes for the passage of ropes.





#### Material Wood autoclave class 4

**Length** 50 cm

Diameter Ø 70 cm

**Rope** Polypropylene

**Colors** 



Rope sold separately and to be mounted by yourself.

#### Difficulty



# Hanging frame

Made of grooved board with 4 holes for the passage of the ropes.





#### Material Wood autoclave class 4

Dimensions 50 x 50 cm

**Rope** Polypropylene

Colors



Rope sold separately and to be mounted by yourself.





## **Accordion board**

Made of grooved board equipped with 2 holes for the passage of ropes.





## Material

Wood autoclave class 4

Length 1,10 m

Width 145 mm

**Rope** Polypropylene

Colors



Rope sold separately and to be mounted by yourself.

Difficulty



# Hanging bridge

Made of grooved board with 4 holes for the passage of the ropes.





#### Material Wood autoclave class 4

**Dimensions** 50 x 50 cm

**Rope** Polypropylene

Colors



Rope sold separately and to be mounted by yourself.





# The pawn

Hanging foam obstacle equipped with a suspension ring.



Material Foam

> Length foam 0,90 m

**Height totale** 

145 mm

Colors



Other colors on request





## Liana

Foam obstacle each end is closed and equipped with a fixing ring.



**Material** Foam

Length mousse 2 m

Diameter Ø 10 cm

Colors









#### Slackline

#### **Cruise Kit**

This strap gives you increased safety because itcan be installed at knee height, making it safe for beginners.



Length 15 m

Width strap 5 cm

Other Slackline kits on request

### The slide

#### **Polyester Tarpaulin**

900g/m<sup>2</sup> with a slit on either side for insertion of the wire rope.

Hemmed with eyelets at top for attachment to platform.

Material PVC coated

> Width 1 m

#### Colors



#### **Option**

Possibility to add evelift on the length to secure thanks to a safety net.

Intended as an introduction for all the family.

- Can be installed as you wish.
- Ratchet with strap.
- 2 tree protectors.
- Transport bag.




Difficulty




15m ←----
















**Net** Polyamide

**Braid** 4,75 mm

Mesh 50 mm, Square knotted

Net colors



Masscoloured

Boltrope Ø 12 mm

Colors bol.



**Net** Polyester

Braid 4.50 mm

**Mesh** 50 mm, Square knotted

Net colors



Masscoloured

Boltrope Ø 12 mm

Colors bol.

**Net** Polyamide

**Braid** 5 mm

Mesh 30 mm, Square, knotless

Net colors



Masscoloured

Boltrope Ø 10 mm

Colors bol.



Net Polypropylene

**Braid** 5 mm

Mesh 45 mm, Knotless

Net colors



Masscoloured + Multicolored interior

> Boltrope Ø 10 mm

Colors bol.








# Option strop with thimble

Multi-purpose and easy assembly. Standard length 30 cm. Color white, black.

**Option double floor** 





Climbing net knotted

Peripheral rope for fixing the net.



#### Ropes

Polypropylene Textured PP Armed PP

#### Mesh

Square, knotted 250 mm : Ø 16 mm 300 mm : Ø 20 mm

#### **Shapes**

Rectangular Trapeze Circular


#### Colors



Masscoloured

#### Option

With ring at each corner angle





# Kit chimney

Wooden square frame, with plywood half-bearing surrounded by mesh netting.





#### **Net** Polypropylene

Mesh 50 mm Square, knotless

#### Colors



Masscoloured

### **Bearings**

Non-slip exterior plywood

Kit for self-assembly.






## **Wood chimney**

Made of wood and composed of modules, pre-assembled, to be fixed to the other module every meter.

Bottom,intermediary and bottom module supplied.





**Dimensions** 115 x 78 cm

Height 60 cm

Material Wood autoclave class 4

# Difficulty

# The chimney

#### Rope

Equipped with a half landing every meter and half-landing in rope Ø 12 mm, Meshs 100 mm, attached in a staggered fashion.





Rope Ø 16 mm

**Mesh** 250 mm, square

**Diameter** Ø 800 mm or Ø 1,20 m on request

Colors



Supplied with 5 half landing





## Rope ladder

Beechwood bar and rope with thimble and suspension rings at both ends.





Rope Ø 16 mm

Material Beech

Diameter Ø 30 mm

Colors



**Difficulty** 



# Tarzan jump

Rope with thimble and suspension rings at the top and reinforced grip at the bottom.

We can fix guides onto the rope for the implementation of safety measures.





Rope Textured Polypropylene

> Diameter Ø 30 mm

> Length 3 m Add. meter on request

> > Colors





# Standard

# **Jumping ball**

PVC balloon integrated into a wooden frame. To be fixed on cables. Sold with inflator.

# Hoops

Ø 34 mm tube hoop with 4 attachment rings at the ends.





Spacing 60 cm

**Material** PVC + Wood

Colors
Depending on stock availability



Diameter Ø 1 m

Spacing 1 m

Material Steel

Colors
















# Standard

# The pencil

Wood colouring pencils painted. To be fixed between two cables.



**Dimension** 115 cm x Ø 6,5 cm

Spacing 75 cm

Material Wood autoclave class 4

Colors





# The pastel

Round post in painted wood. To be fixed between two cables.



**Dimension** 115 cm x Ø 9,5 cm

Spacing 75 cm


Material Wood autoclave class 4

Colors
















## Rubber

Foam rubber covered with PVC, with wooden board to hold the module.







#### Dimension 50 x 20 cm

**Spacing** 40 cm

Material Cover PVC

Colors








## Multiplication tables

Wooden couloured multiplication boards. Choice of 9 multiples.





#### **Dimension** 100 x 50 cm

**Spacing** 40 cm

#### Material

Non-slip CTBX exterior plywood

#### Colors



Colour is determined by board

# Model

Table from 1 to 10









# Flying plate

Wood frame, thickness 4 cm, with a non-slip exterior plywood disc, fixed on 2 Ø 16 mm black metal reinforced ropes. To be installed on two cables.







# **Dimension** 70 x 70 cm

Spacing 63 cm

#### Material Non-slip CTBX exterior plywood

Wood autoclave class 4

Colors



Difficulty 2




# Open barrel

Circles with opening at the top to allow the continuous lifeline to pass through. Boards, predrilled to length.







**Diameter** Ø 800 mm

# Standard lengths

1 ■ 1,50 ■ 2 2,50 m

### Material

Wood autoclave class 4

#### Option

A mattress can be added for more comfort.








# **Big foot**

Foot-shaped, attached to 2 logs Ø 100 mm. Positioning of 2 cables parallel to the left and right of the game module.

# **Running log**

Log equipped with ball bearings and rings for attachment to cable support.





# Pirogue bridge

Concave plank, à poser to put on 2 cables. Each plank comes with 4 wire rope tighteners.



Length 80 cm

Height 16,60 cm

**Thickness** 36 mm

Material Wood autoclave class 4










# The piano

Made of grooved wooden equipped with a counter-weight with a design of piano.



Length 110 cm

Width 14,50 cm

**Spacing** 65 mm





# The pommel horse

Kit composed of 1/2 circle with 10 pre-drilled planks.



Length 1 m

Diameter Ø 500 mm

Material Wood autoclave class 4



Delivered

with accessories







# Moving bridge

Wood element composed of:

- 4 straps width 50 mm.
- 2 wood logs with threaded rod Ø 16 mm.
- 2 fixation rings at each end.



Sewn strap around the threaded rod.



#### Length 2 m

Diameter Ø 100 mm

#### Material

Wood autoclave class 4

#### Colors









# Standard

# Colorful plank footbridge





# **Dimension** 50 x 14,50 cm

Spacing 40 cm

Thickness 15 mm


Material Non-slip CTBX exterior plywood

Colors



Difficulty

Colorful Chinese footbridge



# **Dimension** 50 x 14,50 cm

Spacing 40 cm

Thickness 15 mm



Colors







# Short hops

2 logs Ø 100 mm Equipped with a non-slip disc.





**Diameter** Ø 400, 600, 800 mm

Spacing 40 cm

Thickness 15 mm

Material Wood autoclave class 4

Colors



Difficulty



## **Hand rope**

textured polypropylene Ø 20 mm with thimble.

A suspension ring at the top and a reinforced grip at the bottom.

We can also supply circular non-slip discs.

# The trap

Circular trap door with a hinged spring and a backup rope. To be installed on 2 wire cables.



**Opening** hold by the backup





Diameter Ø 500 mm

**Spacing** 30 cm

**Thickness** 15 mm

Material Non-slip CTBX exterior plywood

Colors



Difficulty



# The squirrel

Island plank made of engraved and varnished.









**Dimensions** 82 x 75 cm

> **Spacing** 40 cm

**Thickness** 15 mm

**Material** Non-slip CTBX exterior plywood

Colors









# Fun islands planks

These wooden planks are a fun and educational game designed to enrich children's knowledge by discovering the forest: animal tracks, foliage, birds, etc...

To fix on 2 parallel wire rope. **නෙන** නෙ Squirrel **SPSKIDS** Laser Delivered engraving with accessories on CTBX wood.

**Diameter** Ø 500 mm

Spacing 30 cm

Thickness 15 mm

**Material** Non-slip CTBX exterior plywood

#### Colors



Depending on the collection







# **Discovery**















































**Birds** 



**Nature** 

**Footprints** 

**Foliages** 





#### Magic

























































































#### Model

Bat, pumpkin, bone, ghost, skull

Spacing 40 cm

Thickness 15 mm

#### Material

Non-slip CTBX exterior plywood

Colors







Standard

# The Puzzle

Board made of plywood in shape of piece of puzzle to be fixed on 2 wire cable.







**Length** 65 cm

Width 80 cm

Spacing 40 cm

Thickness 15 mm

Material Non-slip CTBX exterior plywood

Colors



Difficulty 1



# **S**mileys

Smiley designed from plywood engraved, painted and stained. Installed on 2 wire cables.



1 smiley = 1 emotion







**Diameter** Ø 500 mm

Spacing 30 cm

Thickness 15 mm

**Material** Non-slip CTBX exterior plywood

Colors







# Standard

## **Candies**

Collection of candies, made from colorful, engraved, painted and stained plywood. Installed on 2 wire cables.









#### Model

Liquorice, crocodile, egg, bear, coke or banana

# Spacing 30 cm

Thickness 15 mm

#### Material Non-slip CTBX exterior plywood

Colors







# Wooden island planks

Plank engraved and stained.









#### Model

Apple, butterfly, flower, rabbit, cloud, acorn, heart...

Spacing 40 cm

Thickness 15 mm

Material

Non-slip CTBX exterior plywood

Colors











# Jungle tunnel

Animals engraved and stained. Path dimensions 90 cm x 70 cm.







#### Model

Panda, gorilla, bear

**Dimensions** 1,22 x 2 m

> **Spacing** 90 cm

**Thickness** 15 mm

# Material Non-slip CTBX

exterior plywood

Colors





# The enchanted tunnel

Plank to fixed on 4 wire cables.



# separately

Grooved wooden plank in autoclave class 4. Length: 1,10 m.



#### Model

Apple, butterfly, flower, rabbit. cloud, acorn, heart...

**Dimensions** 1,10 x 1,10 m

> **Spacing** 90 cm

**Thickness** 15 mm

Material Non-slip CTBX exterior plywood

Colors





# Hanging bridge

Plank supplied with 4 suspension ropes and thimble and suspension rings at the top.







#### Model

Apple or butterfly

Thickness 15 mm

**Material** Non-slip CTBX exterior plywood

#### Colors



**Rope** Ø 16 mm

Rope col.



# Difficulty

# **Newton Ball**

Monkey fist ball made of rope equipped with 2 ropes with loops and rings.



**Rope** Polypropylene

> Diameter Ø 16 mm

**Length** 2,50 mm

Colors









# The Licorice Path

Made of exible rubber material equipped with suspension ropes with thimble eye and suspension rope.







#### Length minimum 2 m

**Diameter** Ø 16 mm

> Width 250 mm

Rope col.



# Difficulty

### The Flex

Flexible rubber product to be fixed on two support cables with triangular fixing rings.

Reinforced with a metal plate inside.





140 mm

Length 750 mm

Width 140 mm







# Standard

# The Waffle

Module made of rectangular shape with hollowed-out grid.



Dimensions 72 x 48 cm

> Spacing 40 cm

Material Okoume plywood class 3

Thickness 25 mm











# Double walking log

Wood module equipped with two Ø 120 mm logs, length 300 mm and a grooved board, length 550 mm, 27 mm thick. Equipped with 4 Ø 16 mm suspension ropes.



Dimensions 55 x 15 cm

> Height 65 cm

Material Wood autoclave class 4

**Length rope** 1 ■ 2 ■ 2,50 m

Rope col.





# Hanging l's

Log with thimble and suspension rings at the top.









Material Wood autoclave class 4

Length rope 1 ■ 2 ■ 2,50 m

Rope diam. Ø 16 mm

Rope col.







# Hell's crossing

Log equipped with 3 suspension ropes.



#### Diameter Ø 100 mm

Material Wood autoclave class 4

Length rope 1 1 2 1 2,50 m

Rope diam. Ø 16 mm

Rope col.










# Log trapeze

Equipped with 2 suspension ropes. Can be positioned face-up or in profile.





**Diameter** Ø 100 mm

**Length** 0,66 **■** 1,33 2 m

Material Wood autoclave class 4

**Length rope** 1 ■ 2 ■ 2,50 m

Rope diam. Ø 16 mm

Rope col.





# Moving log

With 4 or 8 ropes in choice.





**Diameter** Ø 100 mm

Material Wood autoclave class 4

Length rope 1,50 ■ 2 m

Rope diam. Ø 16 mm

Rope col.



Option 4 or 8 ropes





# Hanging skittles

Equipped with 2 suspension ropes with thimble and suspension ring at the top.



**Diameter** Ø 100 mm

**Length** 0,66 m

Material Wood autoclave class 4

**Length rope** 1 ■ 2 ■ 2,50 m

Rope diam. Ø 16 mm

Rope col.



Difficulty 3

# Colored hanging plate



**Diameter** Ø 400 mm

Material Wood autoclave class 4

Colors



**Length rope** 1 ■ 2 ■ 2,50 m

Rope diam. Ø 20 mm

Rope Textured Polypropylene



# Standard

# **Hanging** anchors

Log with reinforced loop and suspension ring at the top.

**Diameter** Ø 100 mm

Length 0,66 m

Material Wood autoclave class 4

**Length rope** 1 ■ 2 ■ 2,50 m

Rope diam. Ø 20 mm

Rope col.





# Vertical log

Log with step attached to the log.

Equipped with armed suspension rope with thimble and suspension ring at the top.



Material Wood autoclave class 4

Length with rope 2,50 m

Rope diam. Ø 16 mm

Rope col.







# Standard

# Flying carpet

Grooved planks equipped with suspension ropes Ø 20 mm. With reinforced loop and suspension rings at the top (to be assembled in a sawtooth fashion).





**Dimensions** 150 x 14,5 cm

Length between ropes 130 cm

> Thickness 27 mm

Material Wood autoclave class 4

**Length rope** 1 ■ 2 ■ 2,50 m

Rope diam. Ø 20 mm

Rope col.





# Tibetan bridge

Made with a walking rope in textured polypropylene Ø 30 mm, equipped with suspension ropes every 0.5 m net Ø 20 mm.

With reinforced loop and suspensions rings.



Rope Textured

Textured Polypropylene

Length rope 2,50 m

Rope diam. Ø 20 mm







# **Hanging** crosses

Log equipped with 4 suspension ropes. With reinforced rope and loop suspensions at the top.





**Diameter** Ø 100 mm

Length 1,33 m

Material Wood autoclave class 4

**Length rope** 1 ■ 2 ■ 2,50 m

Rope diam. Ø 16 mm

Rope col.





# Hanging bridge

Grooved planks with logs.





**Diameter** Ø 100 mm

**Length** 0,66 m

Material Wood autoclave class 4

**Length rope** 1 ■ 2 ■ 2,50 m

Rope diam. Ø 16 mm

Rope col.






available

Different meshes

# The net tube

Net tube equipped with a steel circle every meter.





**Diameter** Ø 800 mm

Type Polyamide

> Meshs 50 mm

Colors



Diameter Ø 800 mm

Type Polyester

> Meshs 50 mm

Colors



**Diameter** Ø 800 mm

Type Double polyethylene

> Meshs 70 mm

Colors



Diameter Ø 800 mm

Type Corde

Meshs 250 mm

Colors





### **Barrel**

Circles composed of wooden slats predrilled with regards to length required.



Diameter Ø 800 mm Standards

length
1 ■ 1,50 ■ 2
2,50 m

Material Wood autoclave class 4

#### Option

A mattress can be added for more comfort.







Wave bridge made with steel plate curved covered with gray plastic and fixed on grooved boards with bolts.

Sold as an 5,40 m element (double wave). Supplied with link accessories.

The gateway is equipped with a adjustable suspension ropes.

**Childrens course:** adujstable suspension ropes 1,50 m to 2 m.

Adults course: adujstable suspension ropes 2,50 to 3 m.



Material Wood autoclave class 4

> Diam. Rope Ø 16 mm

Col. Rope











# Uneven circles

Steel circle with a a 30 cm tube welded to it. Equipped with 2 plates welded to the circle for attaching the wire rope. To be installed in a staggered fashion.



# Bascule bridge

Wooden module made with a grooved wooden plank, attached to a hinge galvanized steel.




with accessories



# Rope loops

Rope with reinforced suspension loops and rings at both ends.



# **U-form rope**

Rope with reinforced suspension loops and rings at both ends.





### The "ravioli"

PVC ball enclosed in a black raviolishaped walking net. Net equipped with a ring at each corner. Not Supplied with rope tightener for assembly.

#### **Net description**

4,75 mm braid, 50 mm black mesh. With 10 mm stitched boltrope.





#### **Dimensions** 75 x 75 mm

Diameter Ø 55 cm

Material **PVC** 

Spacing 75 cm

#### Rope col.

Colour of balloons depends on availability.

#### Difficulty



# Pika Pika

A yellow sphere with two handles equipped with 2 polypropylene suspension ropes with thimble and suspension ring.



**PVC** stickers anti-UV treated.



**Diameter** Ø 30 cm

Rope Polypropylene

> Diameter Ø 16 mm

> > Length 2 m

Colors









# Standard

# Rope rings

Ring Ø 200 mm at the bottom for hands equipped with a suspension rope with thimble and suspension rings at the top.







Diameter Ø 16 cm

**Rope** Polypropylene

Length 80 cm

Colors





# Hanging stirrups

Galvanised steel stirrups equipped with a suspension rope with thimble and ring suspension at the top.





Diameter Ø 20 cm

**Rope** Polypropylene

Length 2,50 m

Colors









# **Climbing** planks

Plank equipped with 5 inserts, 2 climbing holds and the accessories to attach the plank to the 2 wire ropes.

Should be placed every 0,50 m or every 1 m.





**Thickness** 29 mm

1,90 m





Spacing

Material Wood autoclave class 4



# Coco Tarzan

Monkey's fist ball Ø 150 mm, equipped with a suspension rope with thimble and suspension ring at the top.







# Suspended fry

Foam cylinder covered with a green PVC protection, provided with 4 hanger straps sewn on a ring.



# **TACOTAC**

Foam obstacle covered with a PVC tarpaulin and equipped with a support plate below. With a suspension rope.



**Material** PVC tarpaulin

Foam density 30 kg/m<sup>3</sup>

**Rope** Textured Polypropylene

Diam. Rope Ø 20 mm

> Length 2,50 m

Colors







# Speed cube

Wooden cube with coloured non-slip exterior plywood panels forming a speed cube to be fixed to two parallel cables.





**Dimensions** 50 cm x 50 cm

> **Spacing** 40 cm











## Dice

Cube painted white with black dots for the numbers. Mounted on two rotating axes.



Option: Rotating hinge



30 cm x 30 cm

Spacing 40 cm

**Material** Okoume plywood clásse 3



Fixed

hinge





# The Farm collection

SPSKIDS

Plank stained and engraved to be installed on the wire cable.

# Mushroom Picking Collection

Plank engraved, and stained. Installed on 2 wire cables.



# **Dimensions**

Change regarding the shape.

## Material


Non-slip CTBX exterior plywood

> Spacing 40 cm

**Thickness** 15 mm













#### **Dimensions** 65 x 85 cm

Material Non-slip CTBX exterior plywood

> **Spacing** 30 cm

Colors















## Animal metronome

Animals engraved and stained. To be mounted on swing wood rafter. To be assembled on 2 bottom cables.







# Material

Non-slip CTBX exterior plywood

> **Thickness** 15 mm

Spacing 84 cm

Colors



# Model

Bear, panda and lion


# Difficulty





## The Brick

Brick covered with exterior wooden painting. To be fixed on 2 parallel cables.





#### Material

Okoume plywood classe 3

**Thickness** 15 mm

Spacing 30 cm

Colors



Model Blue, red, yellow and green










# Savanna crossing

Printed and stained islands.

























# Material

Okoume plywood classe 3

#### Thickness 18 mm

Spacing 30 cm

#### Colors

Depending on the plank

#### Model

Animal of your choice

#### Difficulty





# Little monsters

Printed and stained islands.



















#### Dimensions 1 x 0.75 m

#### Material Okoume plywood classe 3

#### Thickness 18 mm

#### Spacing 40 cm

# Colors

Depending on the plank

#### Model

Monster of your choice









# Flower's path

Flower engraved and stained.





















**Dimensions** 0,50 x 0,50 m

#### Material

Non-slip CTBX exterior plywood

> **Thickness** 15 mm

> > **Spacing** 30 cm

#### Colors



Depending on the model

> Model Au choix

#### **Difficulty**





# Leaves path

Leaf engraved and stained.









#### **Dimensions** 0,50 x 0,60 m

Material Non-slip CTBX exterior plywood

> **Thickness** 15 mm

**Spacing** 30 cm

#### Colors



Depending on the model

> Model Au choix









# Hopscotch

Made of 8 elements engraved and stained.











#### **Dimensions** 1 x 1 m

#### Material Non-slip CTBX exterior plywood

#### **Thickness** 15 mm

**Spacing** 40 cm

Colors








# The crossing of the Knights

Shield covered with a print and exterior stain. To be fixed on 2 cables.













#### **Dimensions** 66 x 58 cm

#### Material Non-slip CTBX exterior plywood

**Thickness** 18 mm

**Spacing** 40 cm

Model In choice









## The bee cell

Tunnel made of 90 x 90 mm square wood and yellow bungee cords, diameter 12 mm. To be fixed with supplied wire rope saddles.



**Bridge board** 0,75 m.

> **Dimensions** 1,18 x 1,35 m

Material Wood autoclave class 4

> **Spacing** 65 cm





## The beehive



Material Wood autoclave class 4

> **Thickness** 15 mm

> > **Spacing** 30 cm

> > > Colors



Model Beehive or Bee

















# The Armed Stairs

Made of armed rope, crimped with a thimble and fixing ring. Equipped with a handrail and steps in autoclave class 4 wood. Climb height: approximately 1.50 m per meter.



# The Split

Made of armed rope crimped with a thimble and fixing ring. Equipped with a handrail at mid-height and three autoclave class 4 wood turning logs.





# Armed steps

Made of armed rope, crimped with thimble and fixing ring. Equipped with autoclave class 4 wood steps arranged in staggered rows. Steps spacing: 50 cm.

3 m



Diameter Ø 16 cm

**Spacing** 40 cm

3 m Sold by Im

Rope col.







Length



# The rope with brackets

Made of armed rope. crimped with a thimble and a fixing ring at the top. Yellow brackets Ø 80 mm arranged at regular intervals along the length of the rope.







Rope Armed rope

Diameter Ø 16 cm

Length 3 4 4 5 1 6 m

Rope col.









# The armed rope chimney

Made of armed rope, crimped with a thimble and fixing ring. Equipped with landings and half-landings.





Diam. chimn. Ø1m

Rope Armed rope

Rope diam. Ø 16 cm

Rope col.



**Material** Non-slip CTBX exterior plywood

Col. paliers




Length 3 4 4 5 1 6 m

Difficulty

# Rotating Ladder

Made of armed rope, crimped with thimble and 360° swivel hook. Equipped with rungs.





Height 240 cm

**Spacing** 40 cm

Rope Armed rope

Rope diam. Ø 16 cm

Rope col.



Rungs Plastic

Rungs col.



Depending on stock


Difficulty





## The sun

Circle equipped with armed ropes crimped at each end and are equipped with a thimble and a suspension ring.



Height 2,50 m

Diameter Ø 1 m

**Rope** Armed rope

Rope diam. Ø 16 cm

Rope col.



Difficulty 3

# **Climbing ring**



Length 2,50 m

**Rope** Armed rope

Rope diam. Ø 16 cm

Rope col.



**Gym rings**Plastic

Rings col.



Depending on stock


Difficulty





## The star

Made of armed rope equipped with thimble and suspension ring with a central part made of grooved non-slip exterior plywood.





Height 2,50 m

Rope Armed rope

Rope diam. Ø 16 cm

Rope col.



Disc Non-slip CTBX exterior plywood

Disc col.




Difficulty



# Zig Zag bridge

Made of grooved planks equipped with armed ropes crimped with thimble eye and suspension ring.





#### **Bridge**

Wood autoclave class 4

**Dimensions** 1,50 x 0,80 m

**Thickness** 36 mm

> Length 1 m

Rope Armed rope

Rope diam. Ø 16 cm

Rope col.







# Brazilian ladder

Ladder with aluminium rungs held in place by two mm reinforced ropes with thimbles and fixing ring at each end.

Swivels at the ends for rotation of the ladder.





**Rungs** Aluminium

Rungs length from 30 to 45 cm

**Ladder length** 2 m

Rope Armed rope

Rope diam. Ø 16 cm

Rope col.



Difficulty

# **Caving** ladder

Ladder with aluminium rungs, held in place by two, armed crimped ropes, with thimble and fixing ring at each end.





Rungs Aluminium

Rungs length 28 cm

> Spacing 30 cm

Ladder length 4 ■ 6 m Other dimensions available on request

> Rope Armed rope

> Rope diam. Ø 16 cm

Rope col.




Difficulty





# Himalayan bridge

Made of crimped armed rope with thimbles and suspension rings, reinforced PP rungs. Equipped with a high and a low handrail.











#### Rungs Plastic

Width 40 cm

Spacing 40 cm

**Rope** 2,50 m

**Rope** Armed rope

Rope diam. Ø 16 cm

Rope col.



Difficulty



# The Hand Ladder

Made of armed rope with a convex path.







#### Rungs Plastic

Colors



Spacing 40 cm

Length 4 m Effective length 3m

> **Rope** Armed rope

Rope diam. Ø 16 cm

Rope col.







# The loop

Armed rope crimped at one end, with a thimble and a suspension ring. Provided with rope stirrup in the lower part.







Length 2,50 m

Rope Armed rope

Rope diam. Ø 16 cm

Rope col.



Difficulty

# **TWIRL**

Armed hand rope equipped with a swivel hook, a suspension ring and a plastic handle.

360° rotation







Rope Armed rope

Rope diam. Ø 16 cm

Rope col.









# **Armed rope** bridge

Armed rope crimped at each end. Equipped with a thimble and a suspension ring.





Width 56 cm

Rope Armed rope

Rope diam. Ø 16 cm

Rope col.








# **U-form** rope

Armed rope crimped at one end, with a thimble and a suspension ring.



Length 4 m

Rope Armed rope

Rope diam. Ø 16 cm

Rope col.











# Suspended banana

Banana-shaped foam covered with PVC sheeting, fitted with 4 suspension ropes sewn onto a ring.



**Material** PVC tarpaulin

PVC tarpaulin



Foam length 150 cm x 47 cm

Length at ends 31 cm x 35 cm

**Rope** Armed rope

Rope diam. Ø 16 cm


Rope col.





## Rope Ladder







Colors



Width 40 cm

**Rope** Armed rope

Rope diam. Ø 16 cm

Rope col.







## Coco Monkey

Monkey's fist ball equipped with a suspension rope with thimble and suspension ring at the top.







Length 2 m

Diameter Ø 300 mm

Rope Textured Polypropylene

Rope diam. Ø 20 cm

Rope col.





## **Pyramid**

Wooden base composed of 4 reinforced aluminum bars Ø 30 mm. Exotic wood head and brake nut Ø 24 mm. Armed suspension rope, crimped at each end with a thimble and a suspension ring.

Floor space 80 cm x 80 cm

> Height 2,80 m

Material Wood autoclave class 4

> Rope Armed rope

Rope diam. Ø 16 cm

Rope col.









## The Step

"Polyform" boat fender equipped with a suspension rope with thimble eye and suspension ring.



Length 2,50 m

### Rope Textured

Textured Polypropylene

Rope diam. Ø 20 cm

Rope col.



Difficulty 4

## Speed wheel

Cleaned tyre equipped with 2 discs made of grooved, mounted on a rotating axis. To be on 2 wire.



360° Rotation

Diameter 60 cm

Spacing 22 cm

Material Non-slip CTBX exterior plywood

Colors



Difficulty





### Cocoon

PVC Ball covered with a net.



Length 1,60 m

**Diameter** Ø 60 cm

Net Polyamide

Meshs Ø 25 mm

**Braid** Ø 5 mm

Colors



Mass-colored







Length 1,60 m

**Diameter** Ø 55 cm

Net Polyamide

Meshs Ø 25 mm

**Braid** Ø5 mm

Colors



Mass-colored





## Color Bag

Sack made of rope equipped with 2 suspension ropes with thimble.





Peanuts Ball



## Height 2,40 m

Sack Ø 60 cm

### Rope Ø 16 mm

Meshs Ø 150 mm Square

### Option

Peanuts Ball sold separately

#### Peanuts col.



## Difficulty 4

## Wrecking Ball

PVC ball Ø 600 mm equipped with 2 suspension ropes with thimble.

Height 1,20 m

Sack Ø 60 cm

**Rope** Ø 16 mm

Meshs Ø 150 mm Square

**Ball colors** 







## Pirate swing

Rope 140 x 140 mm equipped with reinforced suspension rope from 1,10 m to 1,85 m with a V form.



Stainless quick links M6 large openning with large opening.



## Length

1,35 ▮ 1,85 ▮ 2,35 m

### Rope Polypropylene

Rope Armed rope

## Difficulty



## Fisherman bridge

Rope provided with 2 different lengths of suspension ropes fixed every 1,50 m.



Child course: suspension ropes 1,50 m and 1,80 m.

Adult course: suspension ropes 2.50 m and 2.80 m.



### **Minimum** length

3 m

### Rope Textured Polypropylene

Diameter Ø 100 mm





## **Coconut** swing

Braided swin equipped with two suspension rope with thimble and suspension ring.





Length 60 cm

**Material**Textured
Polypropylene

**Rope** Textured Polypropylene


Diameter Ø 20 mm





## The Tyre

Made of molded black, equipped with 2 suspension ropes with thimble eye and suspension ring.



Length 2,50 m

**Rope** Polypropylene

Rope col.



Diameter Ø 16 mm

Difficulty 3



## **Climbing wall**

Climbing wall made with planks and provided with inserts and with a set of climbing holds.





Possibility to connect them with a connecting part.



Dimensions 2 x 3 m

Material Wood autoclave class 4

Difficulty





## **Climbing fresco**

Wall planks 3 printing plank. Supplied with a bundle of 30 climbing holds\*.








\* Colors of the climbing holds according to the available stock.

**Nature** 


### Pop



### Chinese



#### Street'art





**Spacing** 1,80 m

**Dimensions** 

1.22 x 2 m per plank

Material

Okoume plywood class 3

> **Thickness** 18 mm











# Enchanted climbing wall

Wood structure 90 x 90 mm, to fix on a hig-cable and on a low-cable. 2 plywood boards: one above and one below. Both are equipped with holds.



**1 - Hand and foot holds**Socket colors according to available stock.

2 - Plank



## Height 2 m

### Material

Non-slip CTBX exterior plywood

### Shapes

Rabbit, turtle, butterfly, fish, pear, apple

Color



### Difficulty



### Zebulon

Anti-slip disc mounted on a spring. Spring is fixed to a floor.



Moving disc





High disc diameter Ø 300 mm

Low disc diameter Ø 600 mm

Material
Non-slip CTBX
exterior plywood

Color




Difficulty 4





## Jungle wall

Animals made of engraved and stained, to be fixed on 1 upper and 1 bottom cable.



and feet.





#### Dimensions 1,22 m x 2 m

Spacing 1.80 m

Thickness 15 mm

Material Non-slip CTBX exterior plywood

> Shapes Panda, bear or Gorilla

> > Colors




Difficulty 2



### Ghosts

Suspended wood ghost head. Equipped with 2 galvanized chains.





Height 1,97 m

Thickness 15 mm

Material Non-slip CTBX exterior plywood

Colors



**Option** 

Galvanized chain to attach the different modules together, supplied with quick links. Length: 1 m.

Difficulty






## The Gallic challenge

Genuine wooden barrel mounted on 2 connector boards equipped with an rotation axis.

## Commando net

Net made of straps mesh equipped with suspension rings every meter. It can be used either as a climbing net or walking net.



44 cm

**Material** Oak



Strap width 35 cm

> Mesh 150 cm

**Material** Polyester

Colors



**Difficulty** 



Difficulty





## **Anchor island**

Cut and stained anchor.





Spacing 40 cm

Thickness 25 cm

Material Okoume plywood class 3









### **Bretzel**

Cut and stained bretzel.





Dimensions 80 x 54 cm

> Spacing 40 cm

Thickness 25 cm

Material

Okoume plywood class 3











## Mushroom

Solid wood mushroom.



or with red paint

and white stains.

Ø 30 cm Available natural

Spacing 30 cm

Diameter

Material Solid wood

**Difficulty** 

## Bump

1/2 inflatable sphere. To fix on wire ropes.



Sold with inflator.



Diameter Ø 600 mm

**Spacing** 30 cm

Colors













## Zoo collection

Plank engraved and varnished.



Diameter Ø 300 mm

> **Spacing** 40 cm

Material Non-slip CTBX exterior plywood

### **Shapes**

Lion, zebra, elephant, panda, crocodile, monkey rhino, koala









## Alphabet footbridge

Customize your suspended bridge by displaying a theme, the color of your course, the name of your park...

The signage

**SPSFILETS** 

The game



**Dimensions** 80 x 80 cm

**Thickness** 15 mm

Material Non-slip CTBX exterior plywood

Colors











## The head

Shape of a lion's, bear's or wolf's head to be fixed on 4 wire cables.



Wolf's head



Bear's head





Totale dimensions 1,95 x 1,70 m

Passage dimensions 90 x 60 cm

**Material** Non-slip CTBX exterior plywood

### Colors



### **Shapes**

Other shapes available on request



## Pulley for rolling games


## Pulley with a stainless steel shackle

(breaking point 2T400 coef cient 5). Equipped with plastic wheels to prevent premature wear of the wire rope.



On the following pages, the pulley suits to the game which is displayed on the illustrations of courses.

### 3 wheels



Pulley with a stainless



### **Tandem Speed Petzl** + carabiner

It is the fastest carriage pulley. It is specifically designed for lower-angle zipline traverses.



Petzl



# **Z**ipline handle

Aluminium handles to fix on a pulley to prevent the user from twisting.



Weight 500 gr

**Material** Aluminium



Option
TRAC Guide
pulley with
optimal
durability




Difficulty 2

# Handle for Zipline

Plastic handle, fixed on suspension rope.





**Material** PVC tarpaulin

Length 120 cm

Diameter Ø 50 cm

Color



**Rope** Textured Polypropylene

> Diameter Ø 20 mm

Length 2,50 m

Color





## Rising zip-line

We offer you a new solution to reach the upper platform for an obstacle change. To move easily.

### Composed by:

■ 2 splices with thimble in a ring connected to a pulley by a swivel.

Seat board connected to 2 logs.

Spreader log.

■ Polypropylene ropes.

Central splices.

## Sold separately

Pulley with shackle



**Dimensions** 80 x 80 cm

> Height 1,80 m

**Material** Non-slip CTBX exterior plywood

### **Rondins**

Wood autoclave class 4

> Diameter Ø 100 mm

Rope Textured Polypropylene

> Diameter Ø 16 mm

#### Difficulty



## Trapeze

Trapeze equipped with thimble and suspension rings at the top.

#### Sold separately

Tandem Speed Pulley Petzl



Material Wood

Diameter Ø 30 mm

Spacing 70 cm

Rope Textured Polypropylene

> Diameter Ø 16 mm







## The Sphere

"Polyform" boat fender equipped with one suspension rope.



Length 1,50 m

**Diameter** Ø 800 mm

**Rope** Textured Polypropylene

Diameter Ø 30 mm

Difficulty



## The hoop

Braided swing made of masscolored polyamide consisting of a tire seat. Supplied with a straight shackle CF Ø 16 mm.

Heavy-duty suspension. Hanging with straight

shackle.



**Material** Polyamide









## Pirate zip

Polypropylene Monkey's fist ball equipped with a suspension rope with thimble and suspension rings.

### **Sold separately**

Tandem Speed Pulley Petzl



Total length 2,50 m

**Diameter** Ø 300 mm

**Rope** Textured Polypropylene

Diameter Ø 30 mm

Difficulty





# Zip-line swing for kids

Galvanized steel hanging chain with a black PVC sheath.



Total length 2,50 m

**Diameter** Ø 400 mm

Rope Galvanized steel chain

> **Disc** Rubber

> > Color





## **Baby Ball**

### **Buoy (swing)**

- Suspension rings and galvanized steel rings (in the shape of a 8).
- Polypropylene parts, color black.
- Supplied with a valve. Not in ated.



Sold separately Tandem Speed Pulley Petzl





Non-contractual

### **Adjustable** rope

75-150 cm

## Rope

Textured Polypropylene

### Diameter Ø 12 mm

Color



Difficulty



### The ball

Coconut fiber ball equipped with a suspension with thimble and suspension ring at the top.



### Sold separately

Tandem Speed Pulley Petzl



Length rope 2.40 m

Diam. ball Ø 350 mm

Material ball Coconut fiber

Rope Textured Polypropylene

> Diameter Ø 30 mm





# Flying fox rope Rope with rope loop 200 mm at the bottom with thimble and ring suspension at the top. **Sold separately** Tandem Speed Pulley Petzl

Length 1 m

Rope

Textured Polypropylene

Diameter Ø 30 mm

Difficulty

## Handlebar

Hot-dip equipped with 2 non-slip handless and protective foam in the middle.



## The Flying Buoy

Giant inflatable buoy covered with a braided mass-tinted net equipped with 4 suspension ropes and 4 shackle Ø 16 mm CE.



## Basket

Swing with soft ring. Polypropylene parts, color black. Suspension rings and galvanized steel rings.



SPSKIDS



Max. width 80 cm

> Shape Oval

Colors










## Sledge

Wood sledge, mounted on a pine wood structure, maintained by threaded rods Ø 16 mm, protected by an aluminium sheath. Equipped with 4 Nylon pulleys wheels.

## Surfboard

Oscillating on springs equipped with a suspension rope with thimble and ring and reinforced grip at the bottom, an oscillating system and 4 pulleys Tandem Speed.



### Course without harness or Sea of Nets

We craft tailor-made polyamide nets, 50 mm mesh for courses without harness. Nets meet the requirements of EN 1263-01 Standard.



**Available** color Roof



**Available** color Sides and roof















## Fun Box

Manufacturing custom net cages with landings, labyrinth, partitions to move safely. Suitable for childrens and adults.

















Available color
Roof





Available color
Sides and roof
















## Net slide

Slide made of 50 mm polyethylene mesh, with buckles at each end and equipped with a sliding area 16 mm red polyethylene braid, woven inside the mesh.







# Pre-stretched halyard

Pre-stretched halyard Ø 10 mm, made of white core polyester and polypropylene cover. For net fixing and tension.







Photo credits - Arboricorde.

## **Climbing holds**







Screws 100 units Pack. 10 x 50.



### Set n°1 - Climbing holds for kids

for young climbers. These holds are suitable for vertical surfaces or inclines.

Set of 22 - Color red.





M10.

### Set n°2 - Climbing holds for adults

Various holds for hands and feet. This set will enable you to start a 7 m route.

Set of 50 - Color yellow.

### Set n°3 - Climbing holds for adults

Surprising and atypical forms. For competitors and beginners.

Set of 30 - Color green.



## Foam protection

Foam density 20 kg/m3 covered with a PVC tarpaulin. Colors on request: blue, orange, red or yellow.

Other dimension on request.

#### **Preformed**

 $\emptyset$  inside 55 cm. Height 90 cm. Thickness 10 cm.



0,90 x 0,90 x thickness 0,10 m. 1,50 x 0,90 x thickness 0,10 m.



3 adjustable straps.

Color green.



Bibs and eyelets.



**Platform protection** 

Equiped with aps and eyelets. Dimension: 0,30 x 0,30 x 1,50 m.

Thickness: 10 cm.

Other length available 1 m.

# Angle mattress platform protection

Foam mattress shaped for edges of platforms, thickness: 5 cm covered with a PVC tarpaulin 600 g/m2.



#### **Dimensions**

0,70 m x 0,15 m x 0,21 m.



# Comfort mattress for Chimney

Foam mattress for Chimney covered with a PVC tarpaulin 600 g/m2 with bibs and eyelets.

#### **Dimensions**

Ø 800 mm x 20 cm thick.

Color green.

Colors available on demand







Mattress for zipline (arrival platform)





Foam mattress density 20 kg/m3 covered with a PVC tarpaulin with bibs and eyelets. Dimension: 0,80 x 1,60 x 0,20 m. Thickness: 20 cm. Color green.

With or without footprints.

142

## Jump mattress for reception

Foam mattress density 20 kg/m3 covered with a PVC tarpaulin 600 g/m2 with 8 fixing eyelets.



**Unfolded dimensions:** 2 m x 2 m x 0,20 m.

Folded dimensions: 2 m x 1 m x 0,40 m.





Colors available on demand

# Foam protection for cables

Foam covered with a PVC tarpaulin.

Color green.

Dimensions: Length 400 mm Width 310 mm.





Velcro strap fastener



# Aluminium Pulley buffer

Aluminium part for wire ropes Ø 12 mm.







Automatic fall arrest device with stainless steel shock absorber.



Absorbs energy in the event of a fall by tearing its strap, thus limits the impact suffered by the user.



#### **ZIPSTOP**

Self-regulating magnetic braking system for zip-lines.



**ZIPSTOP**Speed up to 24 km/h.

### **QUICK Flight**

Magnetic induction braking technology.



**QUICK Flight** 

This device offers an exalting experience of free fall for aerial rope courses, jump towers, fun areas etc.

#### **TRUBLUE**

The next generation of indoor and outdoor climbing wall auto belays.



#### **TRUBLUE iQ**

It covers a large range of weight: 20 to 150 kg.

#### ZIPSTOP SPEED

The best break for ziplines, it breaks up to the speed of 72 km/h



#### QUICK Flight XL

Also available in XL size to jump from 12 m to 13 m.



#### TRUBLUE Speed

Its advantage is the quick retraction specific to climbing

contests and 164 166 trainings.

### We also supply



Elastic strap Ø 9 mm

Reel: 100 m. Color black.



■ In reel. Color: green, beige, textured havana, white, black.



#### Rope «INDUSTRIE»

Polyamide Ø 12 mm, breaking strength 4200 daN (kg): 50 m ■ 100 m ■ 200 m ■ 500 m.



#### **DYNAPARK**

Y shaped safety leadin a dynamic rope with sewn ends for acrobatic courses.



# Lanyard in

**DYNACLIP** 

dynamic rope with sewn terminations for clipping anchors with an enhanced level of safety.



It is easy to slip into and is adjustable for children and for adults.



#### **BE ONE**

Carabiner to protect the rope by repeated falls.



#### **BAMBI**

A simple and practical harness for growing climbers from age of 5 to 10 and less than 40 kg in weight.







#### **PINCH**

V-Form

lanyard,

Length 80 cm.

System for securing a carabiner at the end of a rope or tape lanyard.



#### Sling

Flat sling Basic 18 mm. Length: 30 cm to 1,75 m.



**BEAL's equipment** 



#### Pulley SBE DÉVAL' CÂBLE

For adults and children.

- Easy to use.
- Plastic wheels
- Quiet pulley don t wear the wire rope out.

#### **Option**

Magnetic system for easy use at the waist.



#### **Pulley** TRAC GUIDE

A pulley for ziplines combined with the Vertigo carabiner.



#### **NEWTON**

Fall arrest Harness in big size. (size 1 or size 2).



For adults: size 8 and 10. For children: size 4 and 5. + one size for children.



#### **TANDEM SPEED**

It is the fastest moving pulley. It is specifically designed for Zip games with gentle slopes.



#### **PANGA** helmet

For adults. Sold per pack of 5 units Color: red, blue, white.



#### **PICCHU** helmet For children.

Sold per unit Color blue or purple.





**PETZL'S** equipment

#### **CIDJAY harness**

Full body harness with adjustable thighs and straps.





#### **IKKO Harness**

Adjustable with straps. Available in two sizes, it is suitable for anyone looking for a harness that is simple to use and manage.



#### **TYRO Harness**

Sitting harness seat for zip line.



#### **AGYL Lanyard for SBE pulley**

19 mm flat strap to attach a SBE pulley. **25 cm / 30 cm.** 












Semi-static rope: 10,5 mm, 80-80 cm, with carabiner brake integrated.







#### **STRATO VENT**

tweight ventilated helmet.





Torso

harness shorts.

#### **FALCON**

HLightweight seat harness, confortable and durable.











#### **GRADISTEP**

Bracket to help people in difficulty.





**PROGRIP** 

Comfortable and lightweight leather gloves.









**FIXE** Pulley flanges for hauling.



**I'DS** 

Self braking descender with anti-panic function.



Haul kit enables you to rescue users in difficulty.



Jamming pulley for hauling.





**Snap Hook** WILLIAM TRIACK-LOCK





Semi-static rope with sew termination. offering excellent abrasion resistance.



**BUCKET 15-30-45L** 

Freestanding canvas bag.

**Evacuation** equipment

Complete personal protective equipment package.



1 Snap Hook **VULCAN SCREW** 



1 Snap Hook **VERTIGO TWIST LOCK** 



2 Snap Hook OK TRIACK-LOCK



3 Snap Hook **BE ONE** 



1 JAG SYSTEM











Freestanding canvas bag.

#### 2 Sling

Length: 30 cm.



### Illustration courses

The illustrations that are composing this catalogue are for sale. They enhance your whole course. It could also be customized on demand. Available on pdf, ai, png, jpeg format.



Don't hesitate to contact us!

## **Engineering office**



In our engineering office, we design and develop new game modules to complement your courses.

We are also at your services to develop customized products according to your specific needs and infrastructure.

Our creativity is limited only by your imagination...



Tel. 02 31 78 82 76 ■ contact@spsfilets.com

15 rue Ampère ■ 14120 Mondeville ■ FRANCE











www.spsfilets.com

